

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total		964,990	26,240	80,460	236,760	68,290	68,990	11,410	90,060	84,290	108,470	187,930
Traumatic injuries and disorders ...	0	904,450	24,100	75,170	225,330	63,900	61,690	10,860	84,820	80,130	98,510	178,560
Traumatic injuries and disorders, unspecified	00	35,330	900	2,950	8,960	2,660	2,790	300	4,360	3,220	2,580	6,570
Traumatic injuries to bones, nerves, spinal cord	01	85,190	3,590	6,950	15,080	6,530	6,120	1,340	11,540	7,480	9,690	16,780
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	1,040	—	20	90	200	20	—	380	90	100	140
Dislocations	011	6,560	380	580	1,250	440	560	90	700	570	640	1,350
Fractures	012	75,070	3,180	6,110	13,240	5,750	5,370	1,180	10,010	6,580	8,720	14,830
Traumatic injuries to spinal cord	013	80	—	—	20	—	—	—	—	—	—	40
Traumatic injuries to nerves, except the spinal cord	014	530	—	20	20	30	40	—	290	30	70	40
Multiple traumatic injuries to bones nerves, spinal cord	018	1,660	30	210	440	100	130	60	120	170	140	260
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	240	—	—	30	—	—	—	30	20	—	120
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	385,260	9,090	36,500	95,460	27,180	27,920	3,660	30,830	33,100	36,510	84,590
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	1,730	30	200	430	100	90	20	120	150	160	440
Sprains, strains, tears	021	379,340	8,440	36,040	94,560	26,850	27,530	3,500	30,170	32,770	35,990	83,150
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	4,190	620	260	480	220	300	150	540	180	370	1,000
Open wounds	03	100,680	1,440	4,640	27,330	5,330	3,920	1,360	14,330	10,730	17,970	13,560
Open wounds, unspecified	030	850	—	50	230	—	—	30	120	160	50	180
Amputations	031	5,930	40	500	610	80	220	90	590	800	2,260	740
Amputations, fingertip	0311	4,140	30	450	490	70	40	50	460	420	1,680	450
Amputations, except fingertip	0319	1,790	—	50	120	—	180	40	140	380	580	290
Animal or insect bites	032	4,730	150	970	1,790	130	320	40	120	490	80	610
Avulsions	033	1,210	30	50	250	40	70	30	130	140	340	130
Cuts, lacerations	034	75,890	1,060	2,020	22,380	4,300	3,020	890	9,880	8,090	13,450	10,730
Gunshot wounds	036	150	20	—	20	40	—	—	—	—	—	50
Punctures, except bites	037	11,570	130	980	1,970	710	270	260	3,410	1,020	1,730	1,080
Multiple open wounds	038	130	—	—	30	—	—	—	50	—	30	—
Open wounds, n.e.c.	039	230	—	60	60	—	—	—	30	30	20	20
Surface wounds and bruises	04	98,590	2,620	8,150	24,930	7,920	7,420	1,770	7,640	8,850	10,090	18,780
Surface wounds and bruises, unspecified	040	360	—	20	80	—	—	50	80	80	80	30
Abrasions, scratches	041	6,810	180	420	1,400	310	500	210	780	1,200	840	990
Blisters	042	240	—	30	40	—	—	—	80	60	—	—
Bruises, contusions	043	82,690	2,160	7,570	22,250	7,390	6,620	1,460	5,500	5,680	7,120	16,540

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Foreign bodies (superficial splinters, chips)	044	7,720	220	90	960	160	250	70	1,230	1,770	1,910	1,060
Friction burns	045	50	20	—	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	048	560	30	30	170	50	40	—	30	40	40	110
Surface wounds and bruises, n.e.c.	049	160	—	—	30	—	—	—	40	—	30	30
Burns	05	20,520	350	530	9,180	460	360	160	1,650	2,380	3,530	1,900
Burns, unspecified	050	20	—	—	—	—	—	—	—	20	—	—
Chemical burns	051	4,740	80	180	1,410	110	100	60	520	450	1,110	710
Electrical burns	052	1,020	20	30	80	—	—	—	320	500	40	20
Heat burns, scalds	053	14,710	250	320	7,690	350	240	100	810	1,400	2,380	1,160
Intracranial injuries	06	5,640	350	1,050	1,070	530	380	50	470	470	470	790
Intracranial injuries, unspecified	060	220	—	20	80	—	20	—	—	30	30	40
Cerebral hemorrhages	061	30	—	—	—	—	—	—	—	—	—	—
Concussions	062	5,350	340	1,020	990	510	360	50	460	430	430	740
Intracranial injuries, n.e.c.	069	20	—	—	—	—	—	—	—	—	—	—
Effects of environmental conditions	07	1,910	—	50	330	100	60	50	430	210	180	500
Effects of environmental conditions, unspecified	070	20	—	—	—	—	—	—	—	—	—	—
Effects of reduced temperature	071	90	—	—	—	—	—	—	—	—	20	20
Frostbite	0711	60	—	—	—	—	—	—	—	—	—	20
Effects of heat and light	072	1,680	—	50	300	90	50	50	410	180	160	400
Effects of heat and light, unspecified	0720	40	—	—	—	—	—	—	—	—	—	—
Heat stroke	0721	200	—	—	20	—	—	—	130	—	—	20
Heat syncope	0722	70	—	—	—	20	—	—	—	—	—	40
Heat fatigue	0723	210	—	—	70	—	—	—	50	20	30	40
Multiple effects of heat and light	0728	20	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,130	—	50	190	60	30	40	230	150	110	280
Effects of air pressure	073	120	—	—	—	—	—	—	—	—	—	80
Effects of air pressure, unspecified	0730	80	—	—	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	38,820	1,510	3,740	8,600	3,100	3,320	610	2,650	2,940	4,220	8,090
Multiple traumatic injuries and disorders, unspecified	080	2,090	70	200	470	120	260	—	220	150	150	440
Cuts, abrasions, bruises	081	6,280	240	370	1,200	620	490	120	430	500	960	1,350
Sprains and bruises	082	14,160	600	1,770	3,590	1,300	1,330	140	550	630	840	3,390
Fractures and burns	083	20	—	—	—	—	—	—	—	—	—	—
Fractures and other injuries	084	9,640	340	540	1,650	540	710	280	1,020	1,220	1,500	1,810
Burns and other injuries	085	190	—	—	80	—	—	—	20	—	70	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	
Intracranial injuries and injuries to internal organs	086	60	—	—	—	—	—	—	—	—	—	—	
Other combinations of traumatic injuries and disorders, n.e.c.	089	6,370	260	830	1,600	520	510	50	400	440	690	1,070	
Other traumatic injuries and disorders	09	132,520	4,240	10,590	34,370	10,120	9,410	1,570	10,920	10,750	13,290	27,010	
Other traumatic injuries and disorders, unspecified	090	210	—	20	30	—	30	—	—	—	40	50	
Asphyxiations/strangulations, suffocations	091	160	—	—	30	—	60	—	—	—	20	—	
Electrocutions, electric shocks ...	093	1,600	30	40	390	90	80	—	240	500	130	90	
Internal injuries to organs and blood vessels of the trunk	094	60	—	—	—	—	—	—	—	—	—	—	
Other poisonings and toxic effects	095	6,320	1,010	620	1,380	210	710	100	740	550	290	710	
Other poisonings and toxic effects, unspecified	0950	280	—	—	50	30	—	—	20	20	130	—	
Animal or insect bites and stings, venomous	0951	3,810	50	510	1,110	130	240	70	640	450	100	510	
Other poisonings and toxic effects, n.e.c.	0959	2,230	950	100	220	50	460	30	70	80	60	200	
Traumatic complications	096	80	—	—	—	—	40	—	—	—	—	—	
Multiple traumatic complications	0968	50	—	—	—	—	30	—	—	—	—	—	
Traumatic complications, n.e.c.	0969	20	—	—	—	—	—	—	—	—	—	—	
Nonspecified injuries and disorders	097	123,370	3,180	9,810	32,340	9,780	8,430	1,430	9,830	9,650	12,670	25,990	
Crushing injuries	0971	11,600	120	330	1,560	640	350	210	1,200	1,940	2,870	2,380	
Back pain, hurt back	0972	32,690	740	2,520	9,340	2,700	2,010	260	2,930	2,310	2,480	7,340	
Soreness, pain, hurt, except the back	0973	69,890	1,990	6,010	19,060	5,700	5,150	720	5,210	4,970	6,470	14,460	
Multiple nonspecified injuries and disorders	0978	5,100	200	650	1,270	520	380	210	200	260	340	1,030	
Nonspecified injuries and disorders, n.e.c.	0979	4,090	140	310	1,100	210	550	30	280	170	510	790	
Other traumatic injuries and disorders, n.e.c.	099	710	—	60	170	—	50	—	80	30	140	150	
Systemic diseases and disorders	1	42,050	1,410	3,230	6,530	2,700	4,280	340	3,770	3,440	8,850	7,470	
Systemic diseases and disorders, unspecified	10	40	—	—	—	—	—	—	—	—	—	—	
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nervous system and sense organs diseases	12	12,660	570	950	1,540	670	2,130	60	1,000	850	3,550	1,340
Nervous system and sense organs diseases, unspecified ..	120	80	—	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	121	20	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	30	—	—	—	—	—	—	—	—	—	20
Degenerative diseases of the central nervous system, n.e.c.	1229	20	—	—	—	—	—	—	—	—	—	20
Other disorders of the central nervous system	123	70	—	20	30	—	—	—	—	—	—	—
Other disorders of the central nervous system, unspecified	1230	20	—	—	—	—	—	—	—	—	—	—
Migraine	1232	30	—	20	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	9,600	540	540	1,070	590	2,070	30	660	540	2,770	780
Disorders of the peripheral nervous system, unspecified	1240	210	—	—	—	—	140	—	—	—	20	—
Carpal tunnel syndrome	1241	9,150	530	520	1,030	550	1,920	30	660	490	2,690	720
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	30	—	—	—	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	220	—	—	30	30	—	—	—	40	50	40
Disorders of the eye, adnexa, vision	125	2,630	—	320	370	80	40	30	320	290	700	470
Disorders of the eye, adnexa, vision, unspecified	1250	470	—	20	—	—	—	—	—	40	40	330
Conjunctivitis non-viral	1252	370	—	40	150	20	—	—	20	30	70	30
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	440	—	210	80	—	—	—	70	20	20	—
Blindness, low vision	1255	30	—	—	—	—	—	—	—	—	20	—
Welder's flash	1256	740	—	—	—	—	—	—	90	130	470	30
Visual disturbances	1258	50	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	540	—	40	100	40	—	—	110	70	90	70
Disorders of the ear, mastoid process, hearing	126	240	20	30	50	—	20	—	—	—	70	30
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Deafness, hearing loss or impairment	1261	170	20	—	40	—	—	—	—	—	60	20
Tinnitus	1262	20	—	—	—	—	—	—	—	—	—	—
Otitis media (except aero-)	1265	20	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	13	430	20	20	110	40	60	—	60	—	40	80
Circulatory system diseases, unspecified	130	60	—	—	—	—	—	—	—	—	—	—
Hypertensive disease	132	40	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	160	—	—	40	—	—	—	20	—	20	40
Myocardial infarction (heart attack)	1331	150	—	—	40	—	—	—	20	—	20	30
Other forms of heart disease	135	30	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	136	90	—	—	40	—	—	—	—	—	—	—
Stroke	1361	80	—	—	40	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	20	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	20	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,630	40	550	380	80	240	60	30	30	80	130
Respiratory system diseases, unspecified	140	130	—	30	50	—	30	—	—	—	—	—
Acute respiratory infections (including common cold)	141	150	—	—	—	30	40	—	20	—	—	20
Other diseases of upper respiratory tract	142	110	—	30	—	—	20	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—	—	—	—
Allergic rhinitis	1421	50	—	20	—	—	—	—	—	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	1422	20	—	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	20	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	690	20	400	190	—	30	—	—	—	20	30
Influenza	1432	650	—	390	180	—	30	—	—	—	20	30
Pneumonia, influenza, n.e.c.	1439	20	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	470	20	80	100	40	110	60	—	—	20	30
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	30	—	—	—	—	—	—	—	—	—	—
Bronchitis	1441	60	—	—	—	—	—	—	—	—	—	—
Extrinsic asthma	1443	250	20	50	50	—	90	—	—	—	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	70	—	—	40	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	50	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	149	70	—	—	20	—	—	—	—	—	—	30
Other respiratory system diseases, unspecified	1490	20	—	—	—	—	—	—	—	—	—	—
Atelectasis, collapsed lung	1495	30	—	—	—	—	—	—	—	—	—	30
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	14,590	370	370	1,420	1,280	890	100	1,840	1,840	2,490	3,990
Hernia	153	14,550	370	360	1,420	1,270	880	100	1,840	1,840	2,490	3,980
Hernia, unspecified	1530	6,310	130	120	490	450	350	40	870	880	1,010	1,970
Inguinal hernia	1531	5,580	200	170	560	650	410	50	680	420	1,030	1,410
Hiatal hernia	1532	170	—	—	20	—	—	30	—	—	60	40
Ventral hernia	1533	1,480	30	40	170	90	40	—	180	420	190	320
Hernia, n.e.c.	1539	1,010	—	30	180	80	80	—	80	110	210	240
Genitourinary system diseases and disorders	16	50	—	—	30	—	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	169	20	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	8,610	380	900	1,410	470	830	50	520	390	2,200	1,470
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	140	—	—	30	—	20	—	30	20	30	—
Arthropathies and related disorders (arthritis)	171	180	—	—	60	—	30	—	20	—	30	—
Dorsopathies	172	880	—	100	140	70	30	—	30	70	100	320
Dorsopathies, unspecified	1720	20	—	—	—	—	—	—	—	—	—	—
Sciatica	1721	240	—	20	80	50	—	—	—	—	30	40
Lumbago	1722	70	—	—	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	160	—	—	—	20	—	—	30	50	20	20
Dorsopathies, n.e.c.	1729	400	—	40	50	—	20	—	—	—	40	230
Rheumatism, except the back ...	173	7,280	360	780	1,140	380	730	50	420	280	2,020	1,110
Rheumatism, except the back, unspecified	1730	560	140	—	90	20	40	—	40	—	150	70
Bursitis	1731	480	—	20	50	120	40	—	100	50	70	20
Synovitis	1732	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Tendonitis	1733	3,480	110	560	480	160	360	40	210	90	860	590
Tenosynovitis	1734	630	30	60	70	—	70	—	—	30	230	130
Ganglion/cystic tumor	1735	330	—	—	90	20	60	—	—	—	100	30
Rheumatism, except the back, n.e.c.	1739	1,780	70	100	360	50	170	—	60	90	600	260
Osteopathies, chondropathies, acquired deformities	174	60	—	—	20	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	60	—	—	20	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	60	—	—	—	—	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	18	3,900	30	430	1,610	160	120	50	300	320	460	430
Disorders of the skin and subcutaneous tissue, unspecified	180	90	—	—	40	—	—	—	—	—	20	—
Infections of the skin and subcutaneous tissue	181	1,060	—	190	210	90	50	20	140	70	180	110
Infections of the skin and subcutaneous tissue, unspecified	1810	450	—	140	110	50	—	20	—	80	20	—
Cellulitis and abscess	1812	490	—	50	80	20	30	—	100	50	70	70
Pilonidal cyst	1815	20	—	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	90	—	—	20	20	—	—	—	—	20	—
Dermatitis	182	2,450	—	170	1,260	50	40	20	110	230	250	300
Dermatitis, unspecified	1820	270	—	50	120	—	—	—	—	—	40	20
Atopic dermatitis and related conditions	1821	70	—	—	—	—	—	—	—	—	—	—
Contact dermatitis, unspecified	1822	510	—	40	260	—	—	—	30	40	40	70
Allergic contact dermatitis	1823	1,120	—	30	680	20	—	—	40	70	80	170
Irritant contact dermatitis	1824	450	—	40	150	—	20	—	30	80	90	30
Dermatitis, n.e.c.	1829	20	—	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	80	—	—	50	—	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	40	—	—	30	—	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	30	—	—	—	—	—	—	—	—	—	—
Diseases of sebaceous glands ..	184	30	—	—	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	30	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other diseases and disorders of the skin and subcutaneous tissue	189	190	—	50	30	—	—	—	—	20	—	—
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	1890	20	—	20	—	—	—	—	—	—	—	—
Urticaria, hives	1898	80	—	30	20	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	80	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	120	—	—	30	—	—	—	—	—	30	—
Endocrine, nutritional, metabolic, and immunity disorder	191	40	—	—	20	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	30	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	80	—	—	—	—	—	—	—	—	30	—
Infectious and parasitic diseases ..	2	1,530	70	530	710	—	60	—	90	20	—	40
Infectious and parasitic diseases, unspecified	20	160	—	120	30	—	—	—	—	—	—	—
Bacterial diseases	21	240	—	80	80	—	20	—	30	—	—	—
Tuberculosis	211	50	—	20	—	—	—	—	—	—	—	—
Tuberculosis, unspecified	2110	40	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	170	—	60	70	—	—	—	—	—	—	—
Other bacterial diseases, unspecified	2190	20	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat and scarlatina	2193	20	—	20	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	120	—	20	70	—	—	—	—	—	—	—
Viral diseases	22	330	30	130	150	—	—	—	—	—	—	—
Viral diseases, unspecified	220	50	30	—	—	—	—	—	—	—	—	—
Human immunodeficiency virus (HIV) infection	221	20	—	20	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	150	—	70	80	—	—	—	—	—	—	—
Chickenpox	2233	60	—	40	20	—	—	—	—	—	—	—
Herpes zoster	2234	80	—	30	50	—	—	—	—	—	—	—
Viral hepatitis	225	20	—	—	20	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	70	—	—	50	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Viral conjunctivitis (ophthalmia)	2262	70	—	—	50	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	30	—	30	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, unspecified	2290	20	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	30	—	—	—	—	—	—	20	—	—	—
Lyme disease	237	30	—	—	—	—	—	—	20	—	—	—
Infectious diseases peculiar to the intestines	26	110	—	30	20	—	—	—	30	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	40	—	—	—	—	—	—	30	—	—	—
Other salmonella infections	263	30	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	269	20	—	—	20	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	650	30	150	430	—	20	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	540	30	140	350	—	—	—	—	—	—	—
Other infectious and parasitic diseases, n.e.c.	299	90	—	—	60	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	9,860	370	960	2,850	1,100	1,460	170	920	460	640	930
Symptoms, signs, and ill-defined conditions, unspecified	40	180	—	—	70	—	20	—	—	—	50	20
Symptoms	41	9,290	360	930	2,620	1,070	1,420	120	860	430	580	900
Symptoms, unspecified	410	50	—	—	—	—	—	—	—	—	—	—
General symptoms	411	4,910	250	470	1,510	740	660	40	270	220	330	410
General symptoms, unspecified	4110	340	—	20	60	90	130	—	20	—	20	—
Loss of consciousness not heat related	4111	1,270	50	80	470	240	90	—	90	60	80	120
Convulsions, seizures	4112	460	—	—	80	220	50	—	30	—	20	40
Malaise and fatigue	4113	40	—	—	—	—	—	—	—	—	—	20
Dizziness	4114	430	50	60	110	50	30	—	20	—	30	60
Non-specified allergic reaction	4115	990	50	160	490	30	80	—	—	70	20	70
Multiple general symptoms	4118	460	—	110	60	50	130	—	—	—	20	—
General symptoms, n.e.c.	4119	920	80	40	230	50	160	—	60	60	150	90
Symptoms involving nervous and musculoskeletal systems ..	412	1,030	30	30	150	40	160	—	430	50	70	60
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	210	—	—	—	120	—	—	—	50	—	—
Spasms or tremors, n.e.c.	4121	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Earache	4122	90	—	—	40	—	—	—	—	—	—	20
Multiple symptoms involving nervous and musculoskeletal systems	4128	140	—	—	50	20	20	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	570	20	20	40	20	—	—	400	—	40	—
Symptoms involving skin and other integumentary tissue	413	890	—	60	290	110	260	—	—	40	—	100
Edema (including dropsy)	4131	840	—	50	280	100	250	—	—	40	—	90
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	30	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	414	770	—	150	260	80	120	—	—	50	40	60
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—	—	—	—	—	—
Headache, except migraine ...	4141	540	—	20	240	60	80	—	—	50	20	40
Multiple symptoms involving head and neck	4148	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	190	—	130	—	—	20	—	—	—	—	—
Symptoms involving cardiovascular system	415	50	—	—	—	—	30	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	20	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,000	30	140	250	60	130	—	70	30	100	170
Symptoms involving respiratory system and chest, unspecified	4160	510	—	90	130	30	40	—	50	20	60	80
Chest pain	4164	170	—	—	30	—	30	—	—	—	—	70
Multiple symptoms involving respiratory system and chest	4168	50	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	260	—	40	90	—	50	—	20	—	20	20
Symptoms involving digestive and urinary system	417	200	—	—	60	—	20	—	—	—	—	50
Nausea and vomiting	4171	140	—	—	50	—	20	—	—	—	—	40
Symptoms involving digestive and urinary system, n.e.c. ...	4179	30	—	—	60	—	—	20	—	—	—	—
Multiple symptoms	418	360	—	—	70	20	40	20	70	—	20	40

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2009 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other symptoms, n.e.c.	419	40	—	—	—	—	—	—	—	—	—	—
Abnormal findings	42	70	—	—	—	—	—	—	—	—	—	—
Other abnormal findings	429	60	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	220	—	20	150	—	20	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, unspecified	480	130	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	90	—	—	30	—	20	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	100	—	—	—	20	—	—	50	—	—	—
Other diseases, conditions, and disorders	5	3,100	210	390	500	370	1,130	—	130	70	60	220
Mental disorders or syndromes	52	3,060	210	380	490	370	1,130	—	120	70	60	210
Mental disorder or syndrome, unspecified	520	20	—	—	—	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	3,030	210	380	490	370	1,120	—	120	70	50	210
Anxiety, stress, neurotic disorders, unspecified	5210	1,280	80	100	260	50	620	—	20	40	20	80
Post-traumatic anxiety acute	5211	380	50	80	80	50	20	—	—	—	—	80
Panic disorder	5213	60	—	—	30	20	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,210	60	180	110	250	470	—	80	20	—	30
Multiple anxiety, stress, neurotic disorders	5218	70	20	—	—	—	—	—	—	—	—	20
Neurotic disorders, n.e.c.	5219	30	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	800	40	70	170	30	60	—	110	50	110	150
Nonclassifiable	9999	3,210	40	120	670	190	310	—	230	130	280	560

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies